



Modification	At what stage is this document in the process?
--------------	--



<h1 style="margin: 0;">IGT172: <u>Provision</u> Optional service for physical gas entry into an IGT Pipeline and into the UNC Total System marrying to UNC Mod 0842</h1>	<div style="margin-bottom: 10px;"> <div style="border: 1px solid #00a651; background-color: #00a651; color: white; padding: 5px; margin-bottom: 5px;">01 Modification</div> <div style="border: 1px solid #00a651; background-color: #e0f2f1; padding: 5px; margin-bottom: 5px;">02 Workgroup Report</div> <div style="border: 1px solid #00a651; background-color: #e0f2f1; padding: 5px; margin-bottom: 5px;">03 Draft Modification Report</div> <div style="border: 1px solid #00a651; background-color: #ffe0b2; padding: 5px;">04 Final Modification Report</div> </div> <div> <div style="border: 1px solid #00a651; background-color: #00a651; color: white; padding: 5px; margin-bottom: 5px;">01 Modification</div> <div style="border: 1px solid #00a651; background-color: #e0f2f1; padding: 5px; margin-bottom: 5px;">02 Workgroup Report</div> <div style="border: 1px solid #00a651; background-color: #e0f2f1; padding: 5px; margin-bottom: 5px;">03 Draft Modification Report</div> <div style="border: 1px solid #00a651; background-color: #ffe0b2; padding: 5px;">04 Final Modification Report</div> </div>
---	--






Purpose of Modification: To introduce to the IGT-UNC, provisions that replicate, as closely as practicable, the established LDZ entry arrangements in UNC. This will ensure suitable arrangements are in place if and when entry to a Pipeline is sought.~~an optional service to enable a Pipeline Operator to accept delivery by Users of physical gas directly into a particular Pipeline, with commercial arrangements that would be near identical to the UNC's LDZ entry equivalent (i.e. a Gemini logical meter and charging through a commercial 'bilateral agreement').~~

	<p>The Proposer recommends that this modification should be:</p> <ul style="list-style-type: none"> assessed by a Workgroup before proceeding to Consultation be subject to an Authority Decision <p>This modification will be presented by the Proposer to the Panel on 27 October 2023. The Panel will consider the Proposer's recommendation and determine the appropriate route.</p>
---	---

Impacted Parties and Codes

	<p>High Impact:</p> <p><u>Developers of gas production facilities for whom delivery to an IGT Pipeline is optimal</u></p> <p>Pipeline Operators <u>that accept delivery of gas to their Pipeline(s)</u></p>
---	---

	<p><u>Large Transporters</u> (the service provision is intended to be optional for Parties)</p>
	<p>Medium Impact: <u>Pipeline Users</u><u>None</u> (the service provision is intended to be optional for Parties)</p>
	<p>Low Impact: <u>None</u><u>Large Transporters and Pipeline Users</u></p>

Contents		 Any questions?
1	Summary	3
2	Governance	5
3	Why Change?	6
4	Code Specific Matters	6
5	Solution	8
6	Impacts & Other Considerations	14
7	Relevant Objectives	16
8	Implementation	17
9	Legal Text	17
10	Recommendations	17
Timetable		 02070901044
The Proposer recommends the following timetable:		Proposer: Nick King – Barrow Shipping
Initial consideration by Workgroup	09 November 2023	 igtunc@gemserv.com
Amended Modification considered by Workgroup	N/A	 nick.king@cngservices.co.uk
Workgroup Report presented to Panel	26 January 2024	 telephone 0121 247 8160
Draft Modification Report issued for consultation	29 January 2024	
Consultation Close-out for representations	19 February 2024	
Variation Request presented to Panel	N/A	
Final Modification Report available for Panel	22 March 2022	
Modification Panel decision	22 March 2022	

1 Summary

What

The IGT-UNC has provisions for a Pipeline to receive gas either directly or indirectly from a Large Transporter system at an unmetered CSEP or US Connection Point respectively; but has no provisions for gas to flow directly into a Pipeline from a gas production facility or a non-UNC IGTAD party pipeline. Such gas would need to be subject to equivalents of the UNC concept of a System Entry Point, UNC TPD Section I 'Entry Requirements', and site specific 'Network Entry Provisions' for gas measurement and composition is designed to ensure that gas entering the GB 'Network' (as defined in GS(M)R, which includes the NTS, Large Transporter Systems and IGT Pipelines as one) meets all requirements mechanism which ensure including GS(M)R compliance and protect pipeline systems.

The existing IGT-UNC does not include the equivalent provisions for direct entry of gas to a Pipeline. defined term 'Downstream System Exit Point' appears to be appropriate for a situation where gas can flow from a Pipeline into a Large Transporter system, but the The IGT-UNC is also silent on how gas flowing from a Pipeline into a Large Transporter System that is not measured at the interface would be treated. This modification proposal seeks to remedy this.

Therefore, new provisions are required in both codes. SGN has initiated change by raising UNC modification proposal 0842 'Gas Entry onto the Total system via an Independent Gas Transporter' to provide the dovetail between codes, and solutions to the UNC challenges, including the Pipeline Operator's use of equivalents to a UNC Network Entry Agreement and Network Entry Provisions, policed by the Large Transporter, subject to the IGT-UNC being similarly modified to accommodate these changes, however an IGT-UNC marry modification is required to complete them.

As the IGT-UNC has no concept of direct entry of gas, it has no provisions for commercial arrangements equivalent to those that Large Transporters use for UNC 'LDZ entry', so these would also be required. However, as UNC mod 0154 established that the Large Transporter's arrangements use commercial 'bilateral agreements' between the connected delivery system and the transporter outside UNC but subject to each Pipeline Operator's Licence Condition 4B governance, only minimal changes to IGT-UNC are required to enable the equivalent.

Why

A number of potential gas producers have identified that the optimal way in which to inject gas to the GB network may be via an IGT Pipeline. While there is nothing in the IGT-UNC that precludes this, it is in all parties' interest to ensure that appropriate arrangements are in place to ensure all safety (i.e. gas composition and measurement) and commercial (i.e. use of system) requirements are met.

Similarly, there are no IGT-UNC nor UNC provisions that preclude gas entering a Large Transporter system via an IGT Pipeline. Clarifying issues around this transfer of gas in both the UNC and IGT-UNC will deliver the necessary consistency and clarity.

A growing number of gas producers such as bio-methane producers want to inject new sources of gas onto a Gas Transporter system but only have the one option of having the Large Transporter own and operate the connection, although a Utility Infrastructure Provider (UIP) could perform the works. This Modification proposal would provide an additional alternative option of particular value in a scenario where a delivery facility operator is located some distance from the existing Large Transporter's network and a new pipeline is required to be laid so that the gas can enter the Total System. It also allows biomethane to be injected directly into existing Pipelines. There is therefore an opportunity to extend the market for such connections by introducing an optional service whereby Pipeline Operators could directly

connect new sources of gas, which also aligns to the requirements of government subsidy schemes for renewable gases, e.g. The Green Gas Support Scheme, which requires gas to be entered into a licensed Gas Transporter's network. There is an environmental benefit of renewable gas such as biomethane in displacing gas from traditional sources.

When coupled with the proposed changes on UNC Mod 0842, this modification will facilitate the expansion of GB produced gas entering the Total System.

How

The proposed solution is to introduce an optional service for new gas entry directly into a Pipeline and indirectly into a Large Transporter System. The service could operate in a stand-alone 'entry only' single pipeline, or in an 'entry and offtake' system in which the existing IGT-UNC delivery to premises service would operate without change and would only apply where the Pipeline Operator chooses to participate, has a Connection Charging Methodology Statement under Licence Condition 4B that has provisions for the service, and has entered into 'operator to operator' contracts for the relevant Pipeline.

To address UNC related issues, SGN has raised UNC modification proposal 0842 'Gas Entry onto the Total system via an Independent Gas Transporter'. IGT-UNC modification 172 proposes the necessary IGT-UNC provisions, which are consistent with the existing and proposed UNC requirements.

IGT-UNC Modification 172 proposes to codify arrangements between Pipeline Users and Pipeline Operators for new gas entry directly into a Pipeline, and indirectly from such Pipeline into a Large Transporter System, completing the marry of the two modifications.

The main proposal is to incorporate contractual change would be addition into the IGT-UNC, of a new 'Part Q ENTRY PROVISIONS', based heavily on amended to adopt IGT-UNC terminology, UNC TPD Section I 'Entry Provisions' as it applies to 'LDZ System Entry Points' with minor associated additions and consequential changes to other existing IGT-UNC sections where they are needed, to enable it. This would address the 'operator to operator' engineering and safety aspects.

The commercial use of system and connection arrangements would also follow the LDZ entry equivalent – Gemini logical meter to record energy and allocate to a Shipper; and charging for connection on a case by case basis in accordance with the established methodologies of each transporter. be near identical to the LDZ entry equivalent (Gemini logical meter and charging through commercial 'bilateral agreement' as per UNC Mod 154), rather than through transportation charging within the IGT-UNC, although this could be proposed to be added through a subsequent modification should any party desire it as an alternative.

Charging would be established by each participating Pipeline Operator, outside code, through their Licence Condition 4B Connection Charging Statement Methodologies, which are subject to Ofgem governance, and the specifics for each new entry point be held in a commercial 'bilateral agreement' between the Pipeline Operator and the connecting entry facility operator as was introduced in 2007 for LDZ entry by UNC Mod 0154 'Enduring Provisions for LDZ System Entry Points'. These LDZ entry arrangements, built upon the output of two earlier Ofgem consultations and a contemporaneous distribution pricing consultation, facilitated the first injection of biomethane into a Large Transporter system at Didcot in SGN's pilot in 2010, followed by the first commercial 'gas to grid' entry of biomethane at the Poundbury Anaerobic Digestion (AD) facility in 2012, and since then, over a hundred subsequent connections (as at the end of March 2022, 126 DN entry points were registered on Gemini).

Whilst the solution requires additions to the IGT-UNC and changes to the UNC as described, the proposer believes that these are not significant as the building blocks are already in use in the two codes.

Furthermore, the UNC modification that would introduce changes to complete the cross-code chain is already in flight, having been raised by SGN (UNC Mod 0842). If implemented, this provides the

mechanism for establishing 'IGT-LDZ System Entry Point'. Specifically, UNC Mod 0842 summary proposes that the UNC will be amended to recognise that gas can flow into the Total System via an IGT Pipeline and onward through a DNO network. To make this work, two new 'operator to operator' agreements will be required and will be developed as follows:

- At the interface point between the 'delivery facility connected to the Pipeline and the Pipeline:
 - a new 'operator to operator' agreement based on a UNC LDZ Network Entry Agreement will govern physical flow, energy measurement and gas characteristics which will be contained in 'provisions equivalent to Network Entry Provisions' and Local Operating Procedures. The parties to this agreement will be the Pipeline Operator, the Large Transporter and the operator of the delivery facility connected to the Pipeline. UNC Mod 0842 refers to this as 'tripartite agreement'.
- At the interface point between the Pipeline and the Large Transporter System:
 - a new variety of UNC NEA will govern physical flow, energy measurement and gas characteristics into the Total System by treating the 'provisions equivalent to Network Entry Provisions' in the new 'operator to operator' (tripartite) agreement mentioned above as UNC Network Entry Provisions. This second agreement will be bilateral 'operator to operator', as with standard UNC NEAs, and the parties will be the Pipeline Operator and the Large Transporter.

This arrangement between the Pipeline Operator, Large Transporter and the operator of the delivery facility connected to the Pipeline will establish a UNC LDZ System Entry Point at the Pipeline Operator /Large Transporter interface and an upstream Pipeline entry point which will be owned by the Pipeline Operator. A UNC LDZ System Entry Point will be established on the National Gas Gemini system accordingly. The gas will flow directly into a Pipeline from the operator of the delivery facility connected to the Pipeline And indirectly into a Large Transporter System.

This IGT-UNC modification proposal includes changes that would dovetail the UNC Mod 0842 arrangements.

2 Governance

Justification for Authority Governance Procedures

This Modification is a marry to UNC Mod 0842, ~~which dovetails with the Modification~~, with the overarching objective that they work together to allow new sources of gas to be entered directly into a Pipeline and on to a Large Transporter System, thus allowing new sources of gas onto the Total System through a new, additional route. The modification is particularly aimed at allowing increased volumes of ~~carbon negative biomethane and other green gases~~ to be injected ~~into the systems~~.

~~Theis UNC Modification is a marry to UNC Mod 0842, which is proposed to be assessed by Panel~~ determined that UNC Mod 0842 is material change that warrants an Authority decision, so this modification should follow the same governance, ideally with the two being considered together.

Requested Next Steps

This modification should:

- be considered a material change and not subject to Self-Governance.
- be assessed by a Workgroup before proceeding to Consultation.

This modification is required to marry with UNC Mod 0842 which is in the process of being assessed by a workgroup. The two mods are intended to dovetail and each requires the other.

3 Why Change?

~~A growing number of gas producers such as bio-methane producers want to inject new sources of gas onto a Gas Transporter system but only have the one option of having the Large Transporter own and operate the connection pipeline, although a Utility Infrastructure Provider (UIP) could perform the works. This Modification proposal would provide an additional alternative option of particular value in a scenario where a delivery facility operator is located some distance from the existing Large Transporter's network and a new pipeline is required to be laid so that the gas can enter the Total System. It also allows biomethane to be injected directly into existing IGT networks.~~

Biomethane is being injected across the GB gas grid with over 100 sites connected to Large Transporter networks. There is potential for more biomethane (and other green gases) to be developed, but producers only have the one option of connecting to a Large Transporter system. In some cases, developers have identified that delivering gas to a Pipeline would be more economic than delivery to a Large Transporter. This may be, for example, because there is no suitable Large Transporter network nearby, or because a Pipeline Operator may offer a more economic and efficient solution than a Large Transporter.

There is therefore an opportunity to extend the market for such connections by modifying the IGT UNC to introduce arrangements that apply when gas is injected to a Pipeline. ~~introducing an optional service whereby Pipeline Operators could directly connect new sources of gas, which also aligns to the requirements of government subsidy schemes for renewable gases, e.g. The Green Gas Support Scheme, which requires gas to be entered into a licensed Gas Transporter's network. There is an environmental benefit of renewable gas such as biomethane in displacing gas from traditional sources.~~

When coupled with the proposed changes on UNC Mod [0842 - Gas Entry onto the Total system via an Independent Gas Transporter](#), this modification will facilitate competition in connections and gas transportation, and the expansion of UK-GB produced gas entering the Total System.

If one or both of the proposed changes to the two codes is/are not made, the prospective developers will continue to have only the one connection option, with no commercial alternative and limited potential for alternative products and/or services, and in some cases, the development will not take place, resulting in less green gas displacing gas from traditional sources.

4 Code Specific Matters

Technical Skillsets

None specifically, although an understanding of how LDZ gas entry works in UNC and provisions in both codes concerning operator to operator agreements would be helpful across the UNC and IGT UNC.

Reference Documents

Industry Codes

IGT-UNC

UNC TPD Section A definitions relating to System Entry Points

UNC TPD Section I in its entirety, but with focus on 3.11 and exclusion of NTS provisions

[British Gas Network Code High Level Principles 1995](#)

[British Gas Business Rules / Detailed Business Rules 1995-6](#)

LDZ Network Entry Agreements (NEA)

UNC modifications referred to in the proposal

UNC 0154 – ‘Enduring Provisions for LDZ System Entry Points’ <https://www.gasgovernance.co.uk/0154>

UNC 0842 – ‘Gas Entry onto the Total system via an Independent Gas Transporter’
<https://www.gasgovernance.co.uk/0842>

UNC 0440 – ‘Project Nexus – iGT Single Service Provision’ <https://www.gasgovernance.co.uk/0440>

‘Nexis’ UNC mod 440 associated IGT-UNC modification

IGT039: ‘Use of a Single Gas Transporter Agency for the common services and systems and processes required by the IGT UNC’ https://www.igt-unc.co.uk/wp-content/uploads/2018/01/iGT039_D.pdf

Ofgem documents (relevant to UNC mod 0154)

‘Gas Transmission – new NTS entry points, reserve prices in auctions and unit cost allowances (UCAs), Consultation Document – May 2005’ <https://www.ofgem.gov.uk/publications/gas-transmission-new-nts-entry-points-reserve-prices-auctions-and-unit-cost-allowances-ucas>

‘New entry arrangements for connecting to the gas distribution network, Consultation Document – July 2006’ <https://www.ofgem.gov.uk/sites/default/files/docs/2006/07/14588-11606.pdf>

‘Entry arrangements for connecting to the gas distribution network | Ofgem (3 Jan 2007)’
<https://www.ofgem.gov.uk/publications/107-entry-arrangements-connecting-gas-distribution-network>

UNC Pricing Paper (relevant to UNC mod 0154)

PDDN03 – LDZ System Charges – Charging for LDZ System Entry Points (December 2007)
<https://www.gasgovernance.co.uk/pddn03>

5 Solution

Outline

The proposed Modification consists of two elements, which will:

- Complete the marriage of IGT-UNC to UNC Mod 0842, with the overarching objective that the two codes work together when gas enters to allow new sources of gas to be entered directly into a Pipeline and is transported to a Large Transporter System, thus allowing new sources of gas onto the Total System through a new, additional route.


The key 'marriage' features of UNC 0842 are that:

- An entry agreement must be entered in to, based on the UNC LDZ Network Entry Agreement that contains contractual gas composition and volume measurement provisions that are directly binding on the delivery facility operator through the terms of the agreement, and on Pipeline Users and UNC Users through the IGT-UNC and UNC respectively (UNC modification 0842 refers to this agreement as a 'tripartite agreement'); and
- The transfer of title and risk already in place in other UNC and IGT-UNC arrangements where gas moves between systems be extended to include transfer from a Pipeline User to Pipeline Operator at the point of entry of new gas into a Pipeline.
- Introduce commercial provisions in IGT-UNC, to apply between to Pipeline Operators and Pipeline Users, when gas is, to gas entered directly into a Pipeline from a gas production delivery facility or a non-UNC (IGTAD) party pipeline.

The UNC ~~already~~ has commercial provisions for ~~the Large Transporter equivalent service gas entry~~ within TPD Section I 'Entry Requirements', ~~which were introduced in the original Network Code in 1996 and other than a few additions irrelevant to this Modification proposal, remain substantially unaltered. The principles were developed by formal industry work groups, using iterations of business rules, followed by detailed business rules, and following a process similar to those used for present day UNC and IGT-UNC modifications, the rules became the legal text that this Modification proposes to incorporate.~~with

~~The~~ core concept ~~within Section I is being~~ that site specific 'Network Entry Provisions' (NEPs) comprising 'Gas Entry Conditions' and 'Measurement Provisions', ~~as defined and specified in TPD I 2.3, be are~~ held in a schedule of a 'Network Entry Agreement' (NEA) between the Large Transporter and a 'Connected Delivery Facility Operator'. The NEPs are subject to UNC governance, but the remainder of ~~the~~ NEA, which is otherwise an 'operator to operator' bilateral agreement, primarily concerning parties engineering responsibilities and obligations at the physical interface, is outside UNC governance. The link between NEPs in a NEA and wider TPD is that Section I 1.3 requires that NEPs remains in force for the entry service to be permitted. If the ~~UNC~~ provisions are breached ~~by the User trying to deliver gas that does not comply with the NEPs,~~ the Large Transporter can discontinue flow.

UNC DN entry 'operator to operator' contract 'LDZ Network Entry Agreement' (NEA)



DRAFT 9th Nov 2023 – Barrow Green Gas

4

In the interests of avoiding industry fragmentation, it is not desirable for an arrangement that differs from this to be introduced, so UNC Mod 0842 is based on LDZ entry arrangements being replicated in IGT-UNC, even going so far as to requiring that Pipeline Operators providing the service put in place an trilateral agreement (similar to a NEA but with the Large Transporter as able to be an additional party) to “...contain provisions equivalent to Network Entry Provisions and Local Operating Procedures – i.e. rules specifying requirements for the delivery of gas to the Total System...” at the physical entry point to the Pipeline. Under the proposed arrangement, the Large Transporter’s rights would be identical to those at an LDZ System Entry Point (with NEA containing NEPs) and would notably include monitoring of compliance with the site-specific NEPs and the right of transporters to isolate the gas source if necessary to safeguard systems the Network.


Gas entering the Pipeline therefore needs to be subject to IGT-UNC equivalents of the UNC TPD concepts of LDZ System Entry Point, Section I ‘Entry Requirements’, and site-specific NEPs for gas measurement and composition mechanism which ensure GS(M)R compliance and protect pipeline systems. However, as NEPs are strictly a UNC concept, for use under that code, UNC Mod 0842 does not require that IGT-UNC should use UNC NEPs, but instead requires that IGT-UNC has ‘provisions equivalent’ to them.

This modification therefore draws heavily from, and follows aAs closely as is practicable, this IGT UNC modification proposes replicating the relevant provisions of of ‘LDZ System Entry Point’ within UNC TPD Section I ‘Entry Requirements’.

For the avoidance of doubt the required changes to UNC and IGT-UNC will require creation of two ‘operator to operator’ agreements, one each to apply at each end of the pipeline, which would have the Pipeline Operator and Large Transporter as parties, for example as shown in the graphic and tables below.

Classified as Internal

UNC Modification 842 – Agreement and entry points.



The proposed ‘operator to operator’ agreement at the physical interface between gas producer and Pipeline as proposed by UNC Mod 0842

Upstream Party	Downstream Party	Agreement
Non-IGTAD party (owns and maintains apparatus)	Pipeline Operator (owns and maintains Pipeline apparatus) and Large Transporter (controls the Pipeline Operator’s valve)	UNC Mod 0842 “...an agreement the (‘tripartite agreement’) between the DN Operator, the IGT and the gas production operator of the facility connected to the IGT System in relation to the (corresponding) IGT SEP’ [to] ‘contain provisions equivalent to Network Entry Provisions and Local Operating Procedures – i.e. rules specifying requirements for the delivery of gas to the Total System at the IGT LDZ SEP and the IGT SEP.”

The proposed ‘operator to operator’ agreement at the physical interface between Pipeline and Large Transporter System as proposed by UNC Mod 0842

Upstream Party	Downstream Party	Agreement
Pipeline Operator (owns and maintains apparatus)	Large Transporter (owns and maintains apparatus)	IGT LDZ Network Entry Agreement (between the DNO and the IGT) which treats the provisions in the ‘tripartite agreement’ ... as Network Entry Provisions and Local Operating Procedures.”

An additional commercial ‘bilateral agreement’ which the Large Transporter would not be party to, and which is not referred to UNC Mod 0842, is also required and will be introduced in the business rules.

A complete list of documents to potentially be changed and/or created follows:

Existing documents to be amended in line with the Modification intention and requirements:

1. IGT-UNC (this Modification proposal)

2. UNC TPD Sections A and I (UNC Mod 0842)
3. Participating Pipeline Operators' Licence Condition 4B Connection Charging Statement Methodologies
4. Participating Large Transporters' Licence Condition 4B Connection Charging Statement Methodologies (~~UNC Mod 0842 proposes this~~)

New generic template 'operator to operator' agreements to be created by participating Large Transporters and/or Pipeline Operators as proposed by UNC Mod 0842, to be based on LDZ Network Entry Agreements:

1. 'gas production facility or non-UNC IGTAD party pipeline' to 'Pipeline' physical interface
2. 'Pipeline to Large Transporter System' physical interface

New agreement to be created by participating Pipeline Operators based on the LDZ equivalent introduced by UNC Mod 154:

A commercial 'bilateral agreement', [enabled by the Pipeline Operator's LC4A Transportation Charging Statement or LC4B Connection Charging Methodology Statement.](#)

Business Rules

1. This Modification shall:
 - a. introduce physical flow and commercial provisions to IGT-UNC, ~~by~~ [repleincorporating](#) to the greatest extent practicable, the provisions contained in UNC TPD Section I 'Entry Requirements'
 - b. marry IGT-UNC to UNC Mod 0842 by completing the dovetailed principle of transfer of title and risk at the Pipeline Entry Point (UNC term - IGT entry point) as shown below:

Interface - Pipeline Entry Point (UNC term - IGT entry point)

Transferor	Transferee	Legal provisions
Pipeline User	Pipeline Operator	Legal text to be added to IGT-UNC by this Modification

For information and the avoidance of doubt, the remainder of the transfer of risk is at the **Downstream System Entry Point** (UNC term - LDZ SEP) and is or will be as follows:

Transferor	Transferee	Legal provisions
Pipeline Operator	<i>Pipeline User</i>	IGT-UNC Part J 2.2 (existing)
<i>Pipeline User</i>	<i>UNC Shipper User</i>	UNC Mod 0842 proposes adding new provisions to UNC TPD Section I (specifically 3.7.12.7)
<i>UNC Shipper User</i>	Large Transporter	

~~2. A new IGT-UNC defined term ‘Pipeline Delivery Facility’ shall mean a single facility or system comprising pipe(s), plant and/or other installations, connected to the Pipeline system at a Pipeline Entry Point (defined in BR 11 below) for the purpose of introducing gas into the Pipeline.~~

~~3. The facility could be a facility for processing biomethane, natural gas, and/or bio-synthetic natural gas from renewable gas sources, or a pipeline system operated by another gas transporter that is not a party to the UNC IGTAD.~~

~~4. A new IGT-UNC defined term ‘Pipeline Delivery Facility Operator’ shall mean the operator of a Pipeline Delivery Facility.~~

A new provision is required to confirm that a physical interface between a Pipeline and a Large Transporter System can comprise a CSEP, IGT LDZ System Entry Point or both, just as UNC TPD enables the equivalent [in Sections I 1.2.4 and J 1.4.6](#).

2.

~~Section J 1.4.6 “A Connected Offtake System may also be a Connected Delivery Facility where gas can flow in either direction between such system and the Total System (for example in the case of a Storage Facility or a NTS Commingling Facility), in which case the provisions of the Network Entry Agreement and the Network Exit Provisions may be contained in a single document.”~~

~~Section I 1.2.4 “A Connected Delivery Facility may (in accordance with Section J1.4.6) also be a Connected Offtake System”.~~

3. IGT-UNC already has provisions relating to ‘operator to operator’ physical interfaces at both Pipeline entry and Pipeline exit. The main sections containing such provisions are Part H ‘SYSTEM MAINTENANCE AND PLANNING and Part I ‘EMERGENCIES’. [These Parts contain proposed new ‘Pipeline Entry Point’ will require](#) some provisions that are identical [to those in UNC TPD Section I](#) and a few that are new or differ slightly. To avoid duplication through the creation of new content, these Parts should be extended in scope and content to [include Ppipeline Eentry Point defined terms](#) alongside Connection Point and Downstream System Exit Point where appropriate.

4. [Further minor consequential changes are required to IGT-UNC parts to knit together existing provisions with the proposed new content.](#)

~~5. It is important that the risk of unintended consequences should be as low as possible, and the documentation as easy to use as possible, so recognising that many Pipeline Operators will choose not to provide the service, the provisions for the proposed optional entry service should ideally be contained in a new IGT-UNC **Part Q ‘ENTRY PROVISIONS’** chapter, to be based heavily on the tried and tested UNC equivalent ‘TPD Section I ‘Entry Provisions’ as it applies to ‘LDZ System Entry Points’, with minor associated additions and changes to other sections where they are needed to enable it. As with UNC, this would set generic requirements and address the ‘operator to operator’ engineering and safety aspects.~~

~~6. To avoid duplication and/or clashes between existing provisions in IGT-UNC Part J – ‘DELIVERY AND OFFTAKE OF GAS’ with the proposed new Part Q, all references to any overlapping defined terms (for example ‘Connection Point’ as mentioned in BR 1) in all Parts require a check, for~~

example, in the case of 'Connection Point' to decide whether the proposed new term 'Pipeline Entry Point' should be added alongside it.

Pipeline Entry Provisions' to be based on 'Network Entry Provisions'

7. A new IGT-UNC defined term '**Pipeline Entry Provisions**', to be contained in the new Part Q, shall mean the provisions applying to the Pipeline Operator and the Pipeline Users in relation to it that shall be based on those in the UNC relating to the equivalent term 'Network Entry Provisions' (see BR 10 below which relates to UNC Mod 0842 BR 4).

Pipeline User's acknowledgement of UNC interaction

8. A Pipeline User wishing to deliver gas to the Pipeline will be required to acknowledge that they are aware of the principles set out in UNC Mod 0842.

Further Business Rules to marry this modification to UNC 0842

9. A new IGT-UNC defined term '**Pipeline Entry Point**' shall be introduced and shall correspond to the proposed new UNC term 'IGT SEP' as referred to in UNC Mod 0842 BR 1 first sentence.
10. Gas flowing from a Pipeline Entry Point (IGT SEP) into an IGT Pipeline shall be deemed to simultaneously flow into the Total System at a single Downstream System Exit Point (LDZ SEP) as referred to in UNC Mod 0842 BR 1 second sentence.
11. The existing IGT-UNC defined term '**Downstream System Exit Point**' shall correspond to the proposed new UNC term 'IGT LDZ SEP' as referred to in UNC Mod 0842 BR 2.
12. A new IGT-UNC defined term '**Pipeline Entry Agreement**', to be contained in the new Part Q, shall be defined in such and the provisions applying to the Pipeline Operator and the Pipeline Users in relation to it shall be based on those in the UNC relating to the equivalent term 'Network Entry Agreement'.
13. Pipeline Entry Agreement shall be the IGT-UNC term for the "agreement ('the tripartite agreement') between the DN Operator, the IGT and the gas production operator of the facility connected to the IGT System in relation to the (corresponding) IGT SEP" referred to in UNC Mod 0842 BR 3.
14. The Pipeline Entry Provisions and Local Operating Procedures contained in the Pipeline Entry Agreement ('the tripartite agreement') will be the provisions equivalent to Network Entry Provisions and Local Operating Procedures — i.e. rules specifying requirements for the delivery of gas to the Total System at the IGT LDZ SEP and the IGT SEP as required by UNC Mod 0842 BR 4.
15. The new Part Q shall include all relevant provisions of UNC TPD Section I on which it is based, but shall have content relevant to NTS entry omitted and where TPD Section I 3.11, introduced by UNC Mod 154, overwrites and replaces generic provisions in Section I 1—3.10, such changes shall be introduced in place of those in the Section.
16. All provisions within UNC TPD Section I 2.3 'Network Entry Provisions', 2.4 'Gas Entry Conditions', 2.5 'Measurement Conditions' and 2.6 'Local Operating Procedures' shall be included, with change only where essential, as these sections contain templates for the generic content that is to be included in the Pipeline Entry Agreement ('tripartite agreement') Pipeline Entry Provisions that are required by UNC Mod 0842 BR 4.
- 17.—

Business Rules for Pipeline Operator to Pipeline User interaction, shadowing those introduced to LDZ entry by UNC Mod 0154

18. A Pipeline Entry Point is created where a Pipeline Operator permits connection of a Pipeline Delivery Facility to its pipeline system for the purpose of introducing gas into the pipeline system and a Pipeline Entry Agreement ('tripartite agreement') and a commercial 'bilateral agreement' have been signed and agreed. [Based on UNC Mod 0154 BR 1]
19. A Pipeline User cannot deliver gas to a Pipeline at a "Pipeline Entry Point" unless there is in place a Pipeline Entry Agreement ('tripartite agreement') and a commercial 'bilateral agreement' in relation to the (corresponding) Pipeline Entry Point, and a Pipeline Operator will only allow the introduction of gas into the system in accordance with the terms and conditions set out in such agreements. This corresponds to the principles set out in UNC Mods 0842 BR 3 and 0154 BR 3.
20. The Pipeline Entry Agreement ('tripartite agreement') will set out the operating parameters in accordance with which the Pipeline Delivery Facility Operator will operate gas flows at a Pipeline Entry Point and specify the condition of the gas that it may tender for delivery by a Pipeline User into the system. Such provisions shall include Pipeline Entry Provisions and Local Operating Procedures. [Based on UNC Mod 0154 BR 4]
21. A Pipeline User wishing to deliver gas to the Pipeline will be required to acknowledge that they are aware of the conditions contained in the Pipeline Entry Agreement ('tripartite agreement') and acknowledge that, where conditions relevant to the introduction of gas into the system set out in such agreement are breached, or non-standard operating conditions exist, deliveries of gas may be curtailed and/or suspended. [Based on UNC Mod 0154 BR 6]
22. "**non-standard operating conditions**" exist when a Pipeline Operator and/or Large Transporter is experiencing one or more of the following occurrences on a relevant part of its system: an emergency, a transportation constraint is evident or one or more Large Transporter system exit points have experienced a gas supply failure. [Based on UNC Mod 0154 BR 7]
- 23.
24. The Pipeline User accepts that where a breach of the Pipeline Entry Agreement ('tripartite agreement') occurs and flows need to be restricted, this will be carried out via direct contact between a Pipeline Operator and/or Large Transporter and the Pipeline Delivery Facility Operator. [Based on UNC Mod 0154 BR 8]
25. A Pipeline Operator would not be liable to the Pipeline User where a nominated delivery is not accepted in accordance with its rights under the Pipeline Entry Agreement ('tripartite agreement'). Additionally, where a Pipeline Operator or the relevant Large Transporter is experiencing non-standard operating conditions, or force majeure applies, it would not be liable to the Pipeline User for refusing to accept the gas. For the avoidance of doubt, the Large Transporter has equivalent provisions in UNC.

6 Impacts & Other Considerations

Does this modification impact a Significant Code Review (SCR) or other significant industry change projects, if so, how?

There is no identified impact on Significant Code Reviews or other significant industry change projects.

Consumer Impacts

What is the current consumer experience?

The number of gas producers and sources of gas is limited today by their only being one option for connection to the Total System – the LDZ entry service.

What would the new consumer experience be?

This modification will result in increased injection to the grid of bio-methane which helps towards Net Zero targets, is a sustainable gas source. ~~Furthermore, increasing the number of gas producers and sources of gas through there being an alternative to the LDZ entry service should theoretically lower consumer prices by increasing competition (higher supply and unchanged demand puts downward pressure on prices), but it is acknowledged that the limited scale means any impact would be minimal.~~

Impact of the change on Consumer Benefit Areas	
Area	Identified Impact
<p>Improved safety and reliability</p> <p>No Change as the new sources of gas would not materially improve the security of supply.</p>	None
<p>Lower bills than would otherwise be the case.</p> <p>No change as the additional sources of gas would not be material in volume.</p>	None
<p>Reduced environmental damage</p> <p>A growing number of bio-methane producers want to inject green gas onto the Total System, this modification <u>would allow</u>s this to take place and will <u>ultimately</u> expand this market which will have a positive impact on Greenhouse Gas Emissions by allowing Pipeline Operators to provide this facility.</p>	Positive
<p>Improved quality of service</p> <p>No change identified.</p>	None
<p>Benefits for society as a whole</p> <p>By facilitating the building of additional Bio-Methane plants there will be additional jobs and general economic activity for UK Plc.</p>	Positive

Cross-Code Impacts

Detailed legal analysis in relation to the drafting of legal text for UNC Modification 0842, which is in the final stages of work group development, identified that mirrored arrangements are required in the IGT-UNC; This modification proposal aims to provide these.

UNC	<input checked="" type="checkbox"/>
REC	<input type="checkbox"/>
Other	<input type="checkbox"/>
None	<input type="checkbox"/>

Environmental Impacts

Biomethane ~~has to be~~ generally produced with a flat profile as it is made from a 24/7 biological process. The producers cannot flare ~~any~~ biogas other than for safety reasons and so they need the gas grid to have capacity for 100% of the time. There are good sources of feedstock that may not be near the existing gas grid but are suitable for AD but need a connection pipeline, typically at LTS pressure which is high capex. This modification would allow such projects to use an IGT Pipeline and will ~~ultimately~~ expand this market which will have a positive impact on Greenhouse Gas Emissions by allowing Pipeline Operators to provide this facility.

7 Relevant Objectives

Impact of the modification on the Relevant Objectives:	
Relevant Objective	Identified impact
(A) Efficient and economic operation of the pipe-line system	Positive
(B) Co-ordinated, efficient and economic operation of <ul style="list-style-type: none"> (i) the combined pipe-line system; and/or (ii) the pipe-line system of one or more other relevant gas transporters 	Positive
(C) Efficient discharge of the licensee’s obligations	None
(D) Securing of effective competition: <ul style="list-style-type: none"> (i) between relevant shippers; (ii) between relevant suppliers; and/or (iii) between DN operators (who have entered into transportation agreements with other relevant gas transporters) and relevant shippers 	None
(E) Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards... are satisfied as respects the availability of gas to their domestic customers	None
(F) Promotion of efficiency in the implementation and administration of the Code	None
(G) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Cooperation of Energy Regulators	None

(A): - The proposed new IGT-UNC Pipeline entry service will enable more connections of negative low carbon footprint biomethane, and the increased competition in routes for such green ‘gas to grid’, together with increased diversity in supply, will enhance the economical and efficient operation of the pipeline.

(B): - By enabling a new IGT-UNC Pipeline entry service that is based on and dovetails with the established UNC equivalent, this Mod provides consistency throughout both the UNC and the IGT UNC.

8 Implementation

As this Modification proposal will marry to UNC Mod 0842, implementation should be at the same time, ideally as soon as possible after an Authority Decision.

There is at least one Pipeline Operator / prospective Pipeline Operator keen to provide this service, with several potential Pipeline Delivery Facility Operators (mainly biomethane) with projects which would be economic if they could inject into existing IGT Pipelines ~~similarly waiting~~.

This Mod should therefore be implemented as soon as possible (supported by optional participation) and the arrangements outside code to support introduced similarly.

9 Legal Text

Text Commentary

To be provided in due course.

10 Recommendations

Proposer's Recommendation to Panel

Panel is asked to:

- Agree that Normal governance procedures should apply
- Refer this proposal to a Workgroup for assessment.