

CSEP NExA Tables Document

An ancillary document to the IGT UNC

Version 1.9

Contents

Change History	2
Section 1 General	3
Section 2 Current Table.....	4
Section 3 Previous Tables.....	4

Change History

Version	Change	Date
0.1	First Draft	January 2014
1.0	Publication	October 2014
1.1	Publication	26 th June 2015
1.2	Publication	24 th June 2016
1.2F	Amendments	23 rd February 2017
1.3	Publication	29 th June 2017
1.4	Publication	1 st March 2019
1.5	Publication	28 th February 2020
1.6	Publication	26 th February 2021
1.7	Publication	25 th February 2022
1.8	Publication	24 th February 2023
1.9	Publication	24 th February 2024

CSEP NExA Tables

Section 1 General

1. This Ancillary Document holds the current version of the CSEP NExA Table which is referenced in the IGT UNC in Part CI and was, prior to the creation of this document, held in Appendix CI-1.
2. The document also holds all previous versions of the Table in chronological order and indicates the period for which the values in a particular table were applicable.

Section 2 Current Table

Valid from 24th February 2024.

AQ Review for IGTs - May 2023							
NExA AQ Values							
IGT Name: Review Values All IGTs				Weighted Average AQ (kWh):		9,998	
				Weighted Average AQ (therms):		341	
Band	House Type	South		Average		North	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1BP	5,368	64,523	5,647	83,613	5,721	16,433
B	2BF, 2BT	6,488	180,660	6,770	279,519	6,950	102,344
C	2BS, 2BD, 3BT, 3BF	8,247	123,342	8,520	263,756	8,974	58,442
D	3BS, 2BB	8,900	145,667	9,178	334,817	9,661	83,761
E	3BD, 3BB	10,283	51,441	10,859	134,773	13,082	50,094
F	4BD, 4BT, 4BS, 4BB, 4BF	12,517	161,447	13,378	407,805	14,985	134,522
G	5BD, 5BS, 5BT, 6BD, 6BS, 6BT, 7BD, 8BD	18,379	23,480	19,215	60,915	19,608	21,808

Section 3 Previous Tables

Ancillary Document v1.8 - Valid from 24th February 2023 to 23rd February 2024.

AQ Review for IGTs - May 2022							
NExA AQ Values							
IGT Name: Review Values All IGTs				Weighted Average AQ (kWh):		10,714	
				Weighted Average AQ (therms):		366	
Band	House Type	South		Average		North	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1BP	5,592	60,504	5,704	76,880	5,996	14,969
B	2BF, 2BT	6,795	170,735	7,098	261,514	7,394	96,063
C	2BS, 2BD, 3BT, 3BF	8,785	115,285	9,129	243,238	9,696	54,260
D	3BS, 2BB	9,522	135,323	9,846	305,685	10,399	76,411
E	3BD, 3BB	11,173	47,682	11,835	122,189	14,328	46,896
F	4BD, 4BT, 4BS, 4BB, 4BF	13,527	151,081	14,459	377,149	16,192	123,895
G	5BD, 5BS, 5BT, 6BD, 6BS, 6BT, 7BD, 8BD	19,663	22,111	20,703	56,709	21,030	19,877

Ancillary Document v1.7 - Valid from 25th February 2022 to 23rd February 2023.

AQ Review for IGTs - May 2021							
NExA AQ Values							
IGT Name: Review Values All IGTs				Weighted Average AQ (kWh):		10,772	
				Weighted Average AQ (therms):		368	
Band	House Type	South		Average		North	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1BP	5,533	59,537	5,808	75,019	6,064	14,776
B	2BF, 2BT	6,863	169,504	7,092	257,932	7,392	95,608
C	2BS, 2BD, 3BT, 3BF	8,887	112,256	9,155	234,233	9,669	53,260
D	3BS, 2BB	9,663	131,044	9,920	292,567	10,517	74,092
E	3BD, 3BB	11,309	45,740	11,916	115,857	14,421	46,022
F	4BD, 4BT, 4BS, 4BB, 4BF	13,603	146,900	14,566	363,589	16,381	120,462
G	5BD, 5BS, 5BT, 6BD, 6BS, 6BT, 7BD, 8BD	19,925	21,715	20,870	55,072	21,342	19,031

Ancillary Document v1.6 - Valid from 26th February 2021 to 24th February 2022.

AQ Review for IGTs - May 2020							
NExA AQ Values							
IGT Name: Review Values All IGTs				Weighted Average AQ (kWh):		10,804	
				Weighted Average AQ (therms):		369	
Band	House Type	South	SW,	Average		North	NO,
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1BP	5,434	52,782	5,810	65,967	6,074	12,888
B	2BF, 2BT	6,710	156,397	7,011	239,096	7,248	87,537
C	2BS, 2BD, 3BT, 3BF	8,895	101,988	9,223	214,042	9,514	49,240
D	3BS, 2BB	9,671	119,508	9,992	264,492	10,383	67,224
E	3BD, 3BB	11,421	41,468	11,995	105,090	14,280	43,298
F	4BD, 4BT, 4BS, 4BB, 4BF	13,676	135,560	14,699	336,409	16,397	110,811
G	5BD, 5BS, 5BT, 6BD, 6BS, 6BT, 7BD, 8BD	19,956	20,130	21,051	50,874	21,268	17,218

Ancillary Document v1.5 - Valid from 27th February 2020 to 25th February 2021.

AQ Review 2019 for IGTs							
NExA AQ Values							
IGT Name: ALL THE IGTs		Weighted Average AQ (kWh): 10,990					
		Weighted Average AQ (therms): 375					
Band	House Type	South SW, NT, WS, SO (92%)		Average WN, SE, NW, EA, EM, WM, NE (0%)		North NO, SC (108%)	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1BP	5,281	46,470	5,685	57,145	6,124	11,461
B	2BF, 2BT	6,623	144,396	6,902	221,110	7,363	81,002
C	2BS, 2BD, 3BT, 3BF	8,996	90,562	9,397	190,825	9,644	45,061
D	3BS, 2BB	9,836	105,206	10,255	231,501	10,639	59,409
E	3BD, 3BB	11,704	36,063	12,441	91,599	14,542	40,116
F	4BD, 4BT, 4BS, 4BB, 4BF	13,983	121,260	15,103	301,738	16,861	99,782
G	5BD, 5BS, 5BT, 6BD, 6BS, 6BT, 7BD, 8BD	20,610	17,879	21,585	45,151	22,097	15,210
1	"To be defined"						
2	"To be defined"						
3	"To be defined"						
4	"To be defined"						
5	"To be defined"						

Ancillary Document v1.4 - Valid from 1st March 2019 to February 27th 2020.

AQ Review for IGTs: 31st May 2018

NExA AQ Values

New NExA AQ Values - 2018

Weighted Average AQ (kWh): **11,053**
 Weighted Average AQ (therms): **377**

Band	House Type	South NT, WS, SO		SW, (92%)		Average WN, SE, NW, EA, EM, WM, NE (0%)		North SC		NO, (108%)	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number		
A	1 BP	5,265	41,448	5,708	51,972	6,087	10,001				
B	2BF, 2BT	6,614	131,822	6,937	205,309	7,366	72,991				
C	2BS, 2BD, 3BT, 3BF	9,027	83,161	9,398	181,499	9,693	41,478				
D	3BS, 2BB	9,814	97,701	10,321	221,763	10,733	55,376				
E	3BD, 3BB	11,698	33,762	12,396	85,734	14,566	37,887				
F	4BD, 4BT, 4BS, 4BB 4BF	13,979	113,102	15,129	288,146	16,954	93,417				
G	5BD, 5BS, 5BT, 6BD, 6BS, 6BT, 7BD, 8BD	20,458	16,537	21,486	43,589	22,163	14,122				

Ancillary Document v1.3 - Valid from 29th June 2017 to 28th February 2019

AQ Review for IGTs: 30th November 2016

NExA AQ Values

New NExA AQ Values

Weighted Average AQ (kWh): **11,434**
 Weighted Average AQ (therms): **390**

Band	House Type	South NT, WS, SO		SW, (92%)		Average WN, SE, NW, EA, EM, WM, NE (0%)		North SC		NO, (108%)	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number		
A	1 Bed	5,989	34,705	5,930	40,160	6,773	9,064				
B	2BF, 2BT	7,144	116,830	7,142	174,333	7,891	68,752				
C	2BS, 2BD, 3BT, 3BF	9,658	70,436	9,604	143,074	10,094	36,147				
D	3BS, 2BB	10,327	81,908	10,465	172,641	11,070	46,416				
E	3BD, 3BB	12,218	28,897	12,663	72,445	15,016	34,210				
F	4BD, 4BT, 4BS	14,536	97,141	15,429	239,482	17,402	83,158				
G	5BD, 5BS, 6BD	21,314	14,227	21,880	36,427	23,219	12,305				

Ancillary Document v1.2 - Valid from 24th June 2016 to 28th June 2017

Band	House Type	South SW, NT, WS, SO (92%)		Average WN, SE, NW, EA, EM, WM, NE (0%)		North NO, SC (108%)	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1 Bed	5,638		5,923		7,050	
B	2BF, 2BT	7,030		7,094		7,955	
C	2BS, 2BD, 3BT, 3BF	9,555		9,714		10,226	
D	3BS, 2BB	10,418		10,595		11,259	
E	3BD, 3BB	12,295		12,799		15,183	
F	4BD, 4BT, 4BS	14,643		15,560		17,754	
G	5BD, 5BS, 6BD	21,445		22,035		23,542	

Ancillary Document v1.1 - valid from 26th June 2015 to 23rd June 2016

Band	House Type	South SW, NT, WS, SO (92%)		Average WN, SE, NW, EA, EM, WM, NE (0%)		North NO, SC (108%)	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1 Bed	5,458		5,985		6,885	
B	2BF, 2BT	6,837		7,199		7,926	
C	2BS, 2BD, 3BT, 3BF	9,601		10,030		10,390	
D	3BS, 2BB	10,719		10,927		11,005	
E	3BD, 3BB	12,412		13,240		15,381	
F	4BD, 4BT, 4BS	14,871		16,008		18,112	
G	5BD, 5BS, 6BD	21,801		22,748		24,243	

Ancillary Document v1.0 – valid from 1st October 2014 to 25th June 2015

Band	House Type	South SW, NT, WS, SO		Average WN, SE, NW, EA, EM, WM, NE (0%)		North NO, SC	
		AQ (kWh)		AQ (kWh)		AQ (kWh)	
A	1 Bed	5,565		6,127		6,892	
B	2BF, 2BT	7,048		7,387		8,214	
C	2BS, 2BD, 3BT, 3BF	9,758		10,319		10,572	
D	3BS, 2BB	10,699		11,271		11,686	
E	3BD, 3BB	12,675		13,571		15,660	
F	4BD, 4BT, 4BS	15,141		16,367		18,526	
G	5BD, 5BS, 6BD	21,810		23,026		24,634	

Version CI-1.5 Valid From 29th June 2012 to 30th September 2014

Band	House Type	South SW, NT, WS, SO		Average WN, SE, NW, EA, EM, WM, NE		North NO, SC	
		AQ (kWh)		AQ (kWh)		AQ (kWh)	
A	1 Bed	6,473		7,022		7,718	
B	2BF, 2BT	7,989		8,383		8,684	
C	2BS, 2BD, 3BT, 3BF	10,776		11,304		11,372	
D	3BS, 2BB	11,748		12,221		12,596	
E	3BD, 3BB	13,429		14,468		16,276	
F	4BD, 4BT, 4BS, 4BB	16,256		17,655		19,296	
G	5BD, 5BS, 6BD	22,644		24,423		25,606	

Version CI-1.4 Valid From 21st July 2006 to 28th June 2012

Band	House Type	South		Average		North	
		AQ (kWh)		AQ (kWh)		AQ (kWh)	
A	1 Bed	8,815		9,585		10,127	
B	2BF, 2BT	10,639		11,270		11,659	
C	2BS, 2BD, 3BT, 3BF	13,120		13,530		14,255	
D	3BS, 2BB	14,348		14,611		15,871	
E	3BD, 3BB	16,180		17,303		19,758	
F	4BD, 4BT, 4BS	19,823		21,195		22,690	
G	5BD, 5BS, 6BD	28,077		30,035		31,176	

Version CI-1.3 Used as standard from 1st October 2002 to 20th July 2006

NExA Tables AQ Values (Occupied Values)

Band	House Type	South		Average		North	
		AQ (kWh)	TPA	AQ (kWh)	TPA	AQ (kWh)	TPA
A	1 Bed	9170	313	9960	340	10750	367
B	2BF, 2BT	11130	380	12100	413	13070	446
C	2BS, 2BD, 3BT, 3BF	12335	421	13420	458	14500	495
D	3BS, 2BB	13940	476	15150	517	16350	558
E	3BD, 3BB	17110	584	18605	635	20100	686
F	4BD, 4BT, 4BS	20715	707	22500	768	24290	829
G	5BD, 5BS, 6BD	31440	1073	34160	1166	36890	1259

Version CI-1.2 - Used prior to 1st October 2002

NExA Tables AQ Values (Developer Effect)

Band	House Type	South		Average		North	
		AQ (kWh)	TPA	AQ (kWh)	TPA	AQ (kWh)	TPA
A	1 Bed	6,970	238	7,555	158	8,174	279
B	2BF, 2BT	9,870	337	10,720	366	11,570	395
C	2BS, 2BD, 3BT, 3BF	10,665	364	11,600	396	12,510	427
D	3BS, 2BB	11,485	392	12,480	426	13,480	460
E	3BD, 3BB	14,444	493	15,700	536	16,960	579
F	4BD, 4BT, 4BS	17,110	584	18,570	634	20,070	685
G	5BD, 5BS, 6BD	23,350	797	25,380	866	27,424	936