

IGT Transportation Charges Invoice Template Document

An ancillary document to the IGT UNC

Version 1.4.4 Draft

Contents

<u>Change History</u>	<u>2</u>
<u>Document Overview</u>	<u>3</u>
<u>File Naming Convention.....</u>	<u>5</u>
<u>IGT Transportation Charges Invoice Backing Data Format and Completion Rules</u>	<u>86</u>
<u>Change History</u>	<u>2</u>
<u>Document Overview</u>	<u>3</u>
<u>IGT Transportation Charges Invoice Backing Data Format and Completion Rules</u>	<u>6</u>

Change History

Version	Change	Date
0.1	Draft	April 2013
0.2	Inclusion of Smart Data	April 2013
1.0	IGT UNC Implementation	June 2013
1.1	Align with IGT039 and IGT076	June 2017
1.2	Changes for IGT102	November 2018
1.3	Changes for IGT112	June 2019
1.4	Changes for IGT124	February 2020
<u>1.4.2</u>	<u>Changes for IGT173</u> <u>Draft</u>	<u>January 2024</u>
<u>1.4.3</u>	<u>Changes for IGT173</u> <u>Draft</u>	<u>March 2024</u>
<u>1.4.4</u>	<u>Changes for IGT173</u> <u>Draft</u>	<u>March 2024</u>

Document Overview

This ancillary document was created by Modification Proposal IGT043VV which was raised to consolidate and standardise the Gas Transportation invoices whilst improving the transparency of the charge items.

IGT112V further evolved this document to make it generic to cover both legacy and Relative Price Control (RPC) charges, the charge types were already introduced as part of IGT043VV but the business rules did not allow for them. RPC is a mechanism overseen by the Authority which requires IGT charges to be capped for all new customers at a level broadly consistent with the GDN equivalent charge. The use of RPC is set out in Special Condition 1 of the Independent Gas Transporters' Licences.

IGT173 updated the mechanism of sending the data from email/portal to via the information exchange (IX) hosted by the CDSP. Included are new sections to support sending by Communication Type 2 processes and to ensure IGTs/shippers have the correct IX configuration.

IGT UNC Part K Paragraph 44.3 has time limited provisions for the implementation of IGT 173 and a copy of the paragraph is provided below:

Change of System Communication for Invoice Documents Implementation

For the purposes of this Clause 44.3

- (a) RPC Supporting Data created prior to the implementation date and time of Modification IGT173 are to be submitted to the Pipeline User in accordance with the Manual if provided by the Pipeline Operator under the terms of their Network Code.
- (b) RPC Supporting Data created on or after the implementation date and time of Modification IGT173 are to be submitted to the Pipeline User in accordance with the UK Link Manual as directed in the implementation of the modification.

The document covers these broad areas:

- Legacy charge types (B10)
- RPC charge types (B12)
- Adjustment charge types (B11 for legacy and B13 for RPC)
- Contingency invoice charge types (B14 for contingency charge and B15 for contingency adjustment)

Any formatting or compliance issues identified relating to the IGT Transportation Charges Invoice Template should be notified to the Pipeline Operator by the Pipeline User using the Standards of Service process.

If a Pipeline Operator invoice contact is required the Pipeline User can liaise with the IGT UNC Secretariat or the Pipeline Operator directly to obtain the information.

NOTES:

Note 1:

Throughout the record / field descriptions, the Pipeline Operator will be referred to as the IGT.

Note 2:

Data completion for the record / fields within the IGT Transportation Charges Invoice

Template will utilise the following values only:

OPT - Mandatory/Conditional/Optional (M - Mandatory, C - Conditional O - Optional)

DOM - Domain (T - Text, N - Numeric, D - Date (YYYYMMDD))

LNG - Number of characters

DEC - Number of decimal places

Note 3:

All text fields will be enclosed in double quotes (") in a comma separated value (CSV format).

Note 4:

The IGT Transportation Invoice Charges Template will utilise the following hierarchy:

Level	Record Name	Occurrence	Optionality
1	T01_IGT_INV_HEADER	1	M
1	B1X*_IGT_CHARGE_TYPE	Up to 1000000	M
1	Z99_IGT_INV_TRAILER	1	M

*B1X relates to the individual charge types outlined in CHARGE_TYPE

[IGT Transportation Charges Invoice-v1.4.4 Draft](#)~~IGT Transporta~~[IGT Transportation Charges Invoice-v1.4.4 Draft](#)~~IGT Transportation Charges Invoice-v1.4.4 Draft~~[tion Charges Invoice-v1.4 Clean](#)

Note 5:

Each Invoice Document will have only one IGT Transportation Invoice Charges Template file submitted to support it.

Note 6:

Where the RPC methodology applies all RPC records / fields which have been categorised with optionality of C - Conditional become M - Mandatory and must be completed.

Note 7:

To support the delivery of files IGTs must have the IX configured to enable the sending of Communication Type 2 Files to Shippers. This is in accordance with the UK Link Access Document, UKLAD3, UK Link File Transfer Definition, available on the Secure UK Link document site which is access controlled by the CDSP.

File Naming Convention

Sending of the data via the information exchange (IX) is in accordance with the most recent draft of the UK Link Manual - UK Link Access Document – UKLAD 3 – UK Link File Transfer Definition document (Note 7), available on the Secure UK Link document site which is access controlled by the CDSP.

To support the creation of the Relative Price Control (RPC) file the below has been given as an example to illustrate and does not take precedence over the UK Link documents.

- Level 1) The IGT will input the receiving Shipper's node here.
NB: Once the IX receives the file and allocates it to the correct Shipper node, the Shipper node is replaced with the sending IGT node and sent on to the relevant Shipper.
- Level 2)
 - a) Whether or not the file is a production file (P) or a test file (T).
 - b) Priority of the file which is usually NORMAL (N).
 - c) Six digit numerical reference number which is generated by the IGT.
- Level 3) The file extension, which is RPC.

A production file example would be:

ABC01.PN123456.RPC

A test file example would be:

ABC01.TN123456.RPC

The latest list of nodes can be found on **Information Exchange (IX) (xoserve.com)**.

IGT Transportation Charges Invoice Backing Data Format and Completion Rules

T01_IGT_INV_HEADER

RECORD/FIELD NAME	OPT	DOM	LNG	DEC	DESCRIPTION
TRANSACTION_TYPE	M	T	3	0	Populate with the a code identifying the type of request that this record represents VALUE: T01
IGT_ID	M	T	3	0	Populate with the reference which uniquely identifies an IGT, per Market Participant Identities List in UNC.
SHIPPER_ID	M	T	3	0	Populate with a reference which uniquely identifies a Pipeline User, per Market Participant Identities List in UNC.
CREATION_DATE	M	D	8	0	Populate with date format YYYYMMDD
INVOICE_NUMBER	M	T	20	0	Populate with a unique number by which the Invoice Document can be identified

Example: "T01","TTT","TTT",YYYYMMDD,"TTTTTTTTTTTTTTTTTTTTTTT"

B1X*_IGT_CHARGE_TYPE

*B1X relates to the individual Charge Types outlined in CHARGE_TYPE

RECORD/FIELD NAME	OPT	DOM	LNG	DEC	DESCRIPTION
CHARGE_TYPE	M	T	3	0	Populate with the allowable value which relates to the Supply Meter Points charging methodology or the relevant contingency/adjustment allowable value: B10 – Legacy charge B11 – Legacy adjustment. B12 – RPC charge B13 – RPC adjustment B14 – Contingency charge B15 – Contingency adjustment Where the B14 or B15 CHARGE_TYPE has been populated, the GENERAL_INFORMATION field must also be populated.
IGT_PROJECT_REFERENCE	M	T	20	0	Populate with a unique reference allocated by the IGT which identifies the CSEP project.
METER_POINT_REFERENCE	M	N	10	0	Populate with a unique identifier for the point at which a meter is, has been or will be connected to the gas network.
START_DATE	M	D	8	0	Populate with date format YYYYMMDD. For B10, B12 or B14 it is the start date of the charges within a Billing Period.

					For B11, B13 or B15 it is the start date of the adjustment period.
END DATE	M	D	8	0	Populate with date format YYYYMMDD. For B10, B12 or B14 it is the end date of the charges within a Billing Period. For B11, B13 or B15 it is the end date of the adjustment period.
BILLING_DAYS	M	N	3	0	Populate with the number of billing days. For B10, B12 or B14, it is the period in line with the START_DATE and END_DATE for the Billing Period. For B11, B13 or B15 it is the total for the adjustment period between the START_DATE and END_DATE for the Billing Period.
CSEP_EXIT_ZONE_IDENTIFIER	M	T	3	0	Populate with a unique reference for the Exit Zone associated with the Connection System Exit Point (CSEP) to the larger GT network.
PROPERTY TYPE	M	T	3	0	Where the Supply Meter Point is Domestic populate using the NExA table values. Where the Supply Meter Point is Non-Domestic populate as "COM". Where the Supply Meter Point is infill populate with "INF".
RPC_ENTRY_POINT_DATE	C	D	8	0	Populate with date format YYYYMMDD. Populate with the date it entered the RPC regime. Where it is legacy leave as null/blank.
EUC_DESCRIPTION	M	T	12	0	Populate with the acronym for the makeup of an End User Category (EUC). EUC's categorise end users in terms of their LDZ, AQ lower limit, AQ upper limit, meter read frequency, BGIC code, winter start, and end month and the ratio of upper and lower limit. For example: EUC01B
RPC_ENTRY_POINT_AQ	C	N	12	0	Populate where it has entered the RPC regime with the AQ in accordance with NExA table at time of RPC entry. Where it is legacy leave as null/blank.
RPC_ENTRY_POINT_SOQ	C	N	10	0	Populate where it has entered the RPC regime with the SOQ derived from CSEP NExA AQ at time of RPC entry. Where it is legacy leave as null/blank.
IGT_BILLING_AQ	M	N	12	0	Where Class 1 and Class 2 Supply Meter Points the SMP AQ is populated. Where Class 3 and Class 4 Supply Meter Points the Formula Year AQ is populated.
CSEP_ID	M	T	8	0	Populate with the unique identifier for the Connected System Exit Point (CSEP) - as nominated by the CDSP.
CSEP_NOMINATED_AQ	M	N	12	0	Populate with the Maximum AQ Value held by the CDSP taking into account the aggregated sum of all nested CSEPs. If IGT is Nesting – value is 0. If IGT is Lead – aggregated AQ Value. If no nest exists – value is IGT CSEP Maximum AQ in kWh.
CSEP_CONNECTION_MAX_AQ	M	N	12	0	Populate with the total projected maximum annual offtake (AQ) of gas (measured in kWh) of all Supply Meter Points associated with this CSEP's connection to the upstream network.
IGT_SYSTEM_MAX_AQ	M	N	12	0	Populate the total projected maximum annual offtake (AQ) of gas (measured in kWh) of all Supply Meter Points associated with this connected system.
IGT_SYSTEM_MAX_SOQ	M	N	12	0	Populate with the total projected supply offtake quantity (SOQ) of gas (measured in kWh) of all Supply Meter Points associated with this connected system.
METER_SERIAL_NUMBER	C	T	14	0	Populate with the manufacturers meter serial number where the IGT is the Gas Act Owner or where the meter serial number is known.
IGT_INFILL_CHARGE_RATE	C	N	20	4	Populate with the monetary rate that is applicable to the Supply Meter Point for IGT infill charges provided where the Charge Type is B10. Uplift maximum should not be charged greater than 10/ptherm or 0.3412 per kWh at time of RPC, plus RPI. Rate demonstrated in pence.
METER_OPERATOR_RATE	C	N	20	4	Populated where the IGT is the Gas Act Owner with a meter charge per pence per day. Rate demonstrated in pence.

